



## Kohler Power Systems Recalls Portable Generators Due to Shock Hazard

[229](#)

The generators have a wiring error, which can result in an electrical shock risk if an electrical device is plugged into the generator.

*Recall date: August 09, 2016*

*Recall number: 16-239*

### **Name of product:**

Kohler portable generators

### **Hazard:**

The generators have a wiring error, which can result in an electrical shock risk if an electrical device is plugged into the generator.

Remedy:

[Repair](#)

### **Consumer Contact:**

Kohler Power Systems toll-free at 866-667-4835 from 8 a.m. to 5 p.m. CT Monday through Friday, or email [generator.feedback@kohler.com](mailto:generator.feedback@kohler.com) or online at <http://power.kohler.com>, and click “Contact Us” on the upper-right side of the page.

[Report an Incident Involving this Product](#)

### **In conjunction with**



### **Units**

About 7,000 (in addition, about 230 were sold in Canada)

### **Description**

This recall involves the following Kohler portable generator models: PRO3.7, PRO3.7E, PRO5.2, PRO5.2E, and GEN5.0 with Spec Number PA-GEN50-3003. These generators have black frame assemblies and blue fuel tanks. The PRO3.7, PRO5.2 and GEN5.0 models have manual recoil start. The PRO3.7E and PRO5.2E have both manual recoil and electric start. Only generators with serial number 4528733735 or lower, and a manufacture date prior to 06 2016, representing the months and year of manufacture, are included in this recall. Model numbers, serial numbers, spec number and manufacturing date codes are on a silver label placed on each generator on the lower black frame assemblies.

### **Incidents/Injuries**

None reported

**Remedy**

Consumers should immediately stop using the recalled generators and contact Kohler to schedule a free repair by the closest authorized dealer.

**Sold at**

Authorized Kohler distributors and dealers from June 2014 through May 2016 for between \$740 and \$1,400.

**Manufacturer(s)**

Sumec Machinery & Electric Co. Ltd., of China

**Distributor(s)**

Kohler Power Systems of Kohler, Wis.

**Manufactured in**

China

The U.S. Consumer Product Safety Commission is charged with protecting the public from unreasonable risks of injury or death associated with the use of thousands of types of consumer products under the agency's jurisdiction. Deaths, injuries, and property damage from consumer product incidents cost the nation more than \$1 trillion annually. CPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical or mechanical hazard. CPSC's work to help ensure the safety of consumer products - such as toys, cribs, power tools, cigarette lighters and household chemicals — contributed to a decline in the rate of deaths and injuries associated with consumer products over the past 40 years.

Federal law bars any person from selling products subject to a publicly-announced voluntary recall by a manufacturer or a mandatory recall ordered by the Commission.

To report a dangerous product or a product-related injury go online to [www.SaferProducts.gov](http://www.SaferProducts.gov) or call CPSC's Hotline at 800-638-2772 or teletypewriter at 301-595-7054 for the hearing impaired. Consumers can obtain news release and recall information at [www.cpsc.gov](http://www.cpsc.gov), on Twitter [@USCPSC](https://twitter.com/USCPSC) or by subscribing to CPSC's [free e-mail newsletters](#).



Kohler PRO3.7 Portable Generator



Kohler PRO5.2 Portable Generator



Kohler GEN5.0 Portable Generator



Location of label with model number, serial number, and manufacturing date code



## Flos Recalls Pendant Light Fixtures Due to Risk of Injury

[136](#)

The dome on the light fixture can detach and fall unexpectedly.

*Recall date: August 09, 2016*

*Recall number: 16-241*

### **Name of product:**

Pendant light fixtures

### **Hazard:**

The dome on the light fixture can detach and fall unexpectedly, posing a risk of injury from impact.

Remedy:

[Repair](#)

### **Consumer Contact:**

Flos toll-free at 888-952-9541 from 9 a.m. to 6 p.m. ET Monday through Friday, via email at [info@flosusa.com](mailto:info@flosusa.com) or online at [www.flos.com](http://www.flos.com) and click on “Skygarden Notice to Customers” for more information.

[Report an Incident Involving this Product](#)

### **Units**

About 2,900

### **Description**

This recall involves the Flos Skygarden halogen pendant light fixtures with models S1 and S2. The model number is printed on a label on the lightbulb socket. The light fixtures are made of glass, gypsum and steel. They have a gold, brown, black or white dome with a white plaster interior. Skygarden model S1 domes measure about 24 inches in diameter and Skygarden model S2 dome about 35 inches in diameter.

### **Incidents/Injuries**

None reported

### **Remedy**

Consumers should contact the firm or place of purchase to schedule the installation of a free repair kit by a qualified technician. Consumers should prevent people from going into the immediate area under the fixtures until repaired.

### **Sold at**

Design Within Reach, Flos Project Sales, Lumens, and other lighting stores and online at Flos.com and [lighting.com](http://lighting.com) from January 2008 through July 2016 for between \$2,500 and \$4,400.

### **Importer(s)**

Flos Inc., of Brooklyn, N.Y.

**Manufactured in**

Italy

The U.S. Consumer Product Safety Commission is charged with protecting the public from unreasonable risks of injury or death associated with the use of thousands of types of consumer products under the agency's jurisdiction. Deaths, injuries, and property damage from consumer product incidents cost the nation more than \$1 trillion annually. CPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical or mechanical hazard. CPSC's work to help ensure the safety of consumer products - such as toys, cribs, power tools, cigarette lighters and household chemicals — contributed to a decline in the rate of deaths and injuries associated with consumer products over the past 40 years.

Federal law bars any person from selling products subject to a publicly-announced voluntary recall by a manufacturer or a mandatory recall ordered by the Commission.

To report a dangerous product or a product-related injury go online to [www.SaferProducts.gov](http://www.SaferProducts.gov) or call CPSC's Hotline at 800-638-2772 or teletypewriter at 301-595-7054 for the hearing impaired. Consumers can obtain news release and recall information at [www.cpsc.gov](http://www.cpsc.gov), on Twitter [@USCPSC](https://twitter.com/USCPSC) or by subscribing to CPSC's [free e-mail newsletters](#).



Recalled Flos Skygarden  
pendant light fixtures



## Lekker Recalls Patriot Power Generators Due to Fire Hazard; Sold Exclusively Online at 4Patriots.com

[210](#)

The battery sold with the generator can catch fire.

*Recall date: July 28, 2016*

*Recall number: 16-234*

### **Name of product:**

Patriot Power Generator 1500 watt

### **Hazard:**

The battery sold with the generator can catch fire, posing a fire hazard to the user or bystanders.

Remedy:

[Replace](#)

### **Consumer Contact:**

4Patriots at 800-680-8504 from 8 a.m. to 5 p.m. MT Monday through Friday or online at [www.lekkerproducts.com](http://www.lekkerproducts.com) and click on “Recall Notice” for more information.

[Report an Incident Involving this Product](#)

### **Units**

About 2,200

### **Description**

The recall involves the 1,500 watt Patriot Power Generators. The generators were sold in black or dark blue with “Patriot Power Generator” printed on the right side of the unit. The recalled generators have serial numbers U14040001 through U14041092 and U14110001 through U14111092 printed on a sticker in the upper right hand corner of the rear panel of the unit. The generators measure about 18 inches long by 10 inches wide by 12 inches tall.

### **Incidents/Injuries**

Lekker has received 13 reports of generator fires, two reports of generators that began to smoke and one report of an unusual noise or odor from the generator. No injuries have been reported.

### **Remedy**

Consumers should immediately stop using the recalled generators and contact 4Patriots for instructions on receiving a free replacement generator.

### **Sold exclusively online by**

Online at [www.4patriots.com](http://www.4patriots.com) from November 2014 through April 2015 for about \$2,000.

**Importer(s)**

Lekker LLC, of Lindon, Utah

**Manufactured in**

China

The U.S. Consumer Product Safety Commission is charged with protecting the public from unreasonable risks of injury or death associated with the use of thousands of types of consumer products under the agency's jurisdiction. Deaths, injuries, and property damage from consumer product incidents cost the nation more than \$1 trillion annually. CPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical or mechanical hazard. CPSC's work to help ensure the safety of consumer products - such as toys, cribs, power tools, cigarette lighters and household chemicals — contributed to a decline in the rate of deaths and injuries associated with consumer products over the past 40 years.

Federal law bars any person from selling products subject to a publicly-announced voluntary recall by a manufacturer or a mandatory recall ordered by the Commission.

To report a dangerous product or a product-related injury go online to [www.SaferProducts.gov](http://www.SaferProducts.gov) or call CPSC's Hotline at 800-638-2772 or teletypewriter at 301-595-7054 for the hearing impaired. Consumers can obtain news release and recall information at [www.cpsc.gov](http://www.cpsc.gov), on Twitter [@USCPSC](https://twitter.com/USCPSC) or by subscribing to CPSC's [free e-mail newsletters](#).



1,500 Watt Patriot Power Generator



Patriot Power Generators (front panel)



Patriot Power Generator (side view)



Patriot Power Generator (rear panel)



## Home Source Recalls Floor Lamps Due to Fire and Shock Hazards

The lamps can short circuit due to defective sockets.

[298](#)

*Recall date: July 14, 2016*

*Recall number: 16-224*

### **Name of product:**

Floor lamps

### **Hazard:**

The lamps can short circuit due to defective sockets, posing fire and shock hazards.

Remedy:

[Refund](#)

### **Consumer Contact:**

Home Source toll-free at 888-660-5549 from 9 a.m. to 5 p.m. ET Monday through Friday or online at [www.homesourceind.com](http://www.homesourceind.com) and click on the “Safety Notice” link for more information.

[Report an Incident Involving this Product](#)

### **Units**

About 2,700

### **Description**

This recall involves brown metal floor lamps with alabaster glass shades. They are illuminated with a single 100-watt light bulb and measure about 70 to 72 inches tall. The model numbers LMP4229, LMP4168 and LMP10771 can be found on the label at the bottom of the lamps.

### **Incidents/Injuries**

Home Source has received three reports of the lamp’s sockets burning and smoking. No injuries have been reported.

### **Remedy**

Consumers should immediately stop using the recalled floor lamps and contact Home Source for information on returning the lamps for a full refund.

### **Sold at**

Small retail stores located in the New York metropolitan area and online at Amazon.com, Houzz.com, Target.com and Wayfair.com from February 2016 to April 2016 for about \$60.

### **Importer(s)**

Home Source Industries LLC, of East Rutherford, N. J.

**Distributor(s)**

Home Source Industries LLC, of East Rutherford, N. J.

**Manufactured in**

China

The U.S. Consumer Product Safety Commission is charged with protecting the public from unreasonable risks of injury or death associated with the use of thousands of types of consumer products under the agency's jurisdiction. Deaths, injuries, and property damage from consumer product incidents cost the nation more than \$1 trillion annually. CPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical or mechanical hazard. CPSC's work to help ensure the safety of consumer products - such as toys, cribs, power tools, cigarette lighters and household chemicals — contributed to a decline in the rate of deaths and injuries associated with consumer products over the past 40 years.

Federal law bars any person from selling products subject to a publicly-announced voluntary recall by a manufacturer or a mandatory recall ordered by the Commission.

To report a dangerous product or a product-related injury go online to [www.SaferProducts.gov](http://www.SaferProducts.gov) or call CPSC's Hotline at 800-638-2772 or teletypewriter at 301-595-7054 for the hearing impaired. Consumers can obtain news release and recall information at [www.cpsc.gov](http://www.cpsc.gov), on Twitter [@USCPSC](https://twitter.com/USCPSC) or by subscribing to CPSC's [free e-mail newsletters](#).



Home Source LMP4229 Floor Lamp



Home Source LMP4168 Floor Lamp



Home Source LMP10771 Floor Lamp





## 3M Recalls Hard Hats Due to Shock Hazard

[325](#)

Hard hats sold online were marketed to protect against electric shock, but they do not provide this protection.

*Recall date: June 23, 2016*

*Recall number: 16-201*

### **Name of product:**

Vented hard hats

### **Hazard:**

Hard hats sold online were marketed to protect against electric shock, but they do not provide this protection, posing a shock hazard to consumers.

Remedy:

[Replace](#)

### **Consumer Contact:**

3M Company at 800-494-3552 from 7 a.m. to 6 p.m. CT Monday through Friday or online at [www.3MSafety.com](http://www.3MSafety.com) and click on “Safety Recall” for more information, or [www.DIY.3M.com](http://www.DIY.3M.com) and click on “Safety Recall” for more information.

[Report an Incident Involving this Product](#)

### **Units**

About 7,500

### **Description**

This recall involves 3M vented hard hats sold under the 3M™, 3M™ Tekk Protection™ and AOSafety™ brands. The hard hats are white, have eight, 3/4-inch long ventilation slits along each side at the hat's crown and have a ratchet adjustment for fit. “3M” or “AOSafety” is molded into the white plastic on the top of the brim. “XLR8 VENTED” is molded onto the bottom of the brim. “ANSI Z89.1” is printed on a sticker inside the hard hats. This recall only involves the 3M hard hats sold online.

### **Incidents/Injuries**

None reported

### **Remedy**

Consumers who purchased the hard hats online for protection against electrical shock should immediately stop using them and contact 3M for a free replacement hard hat.

### **Sold at**

Online at Alliedelec.com, Amazon.com and HomeDepot.com from January 2008 through April 2016 for about \$15.

**Importer(s)**

3M Company, of St. Paul, Minn.

**Distributor(s)**

3M Company, of St. Paul, Minn.

**Manufactured in**

U.S.

The U.S. Consumer Product Safety Commission is charged with protecting the public from unreasonable risks of injury or death associated with the use of thousands of types of consumer products under the agency's jurisdiction. Deaths, injuries, and property damage from consumer product incidents cost the nation more than \$1 trillion annually. CPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical or mechanical hazard. CPSC's work to help ensure the safety of consumer products - such as toys, cribs, power tools, cigarette lighters and household chemicals — contributed to a decline in the rate of deaths and injuries associated with consumer products over the past 40 years.

Federal law bars any person from selling products subject to a publicly-announced voluntary recall by a manufacturer or a mandatory recall ordered by the Commission.

To report a dangerous product or a product-related injury go online to [www.SaferProducts.gov](http://www.SaferProducts.gov) or call CPSC's Hotline at 800-638-2772 or teletypewriter at 301-595-7054 for the hearing impaired. Consumers can obtain news release and recall information at [www.cpsc.gov](http://www.cpsc.gov), on Twitter [@USCPSC](https://twitter.com/USCPSC) or by subscribing to CPSC's [free e-mail newsletters](#).



Recalled 3M hard hat



Recalled 3M hard hat



## Ecovent Recalls Room Sensors Due to Shock Hazard (Recall Alert)

The cover can come off during normal use, exposing high voltage components and posing an electrical shock hazard.

[44](#)

*Recall date: June 22, 2016*

*Recall number: 16-754*

### **Name of product:**

Ecovent room sensors

### **Hazard:**

The cover can come off during normal use, exposing high voltage components and posing an electrical shock hazard.

Remedy:

[Replace](#)

### **Consumer Contact:**

Ecovent toll-free at 855-777-0105 from 10 a.m. to 6 p.m. MT on Monday through Friday or online at [www.ecoventsystems.com](http://www.ecoventsystems.com) and click on "Legal" for more information.

[Report an Incident Involving this Product](#)

### **Units**

About 600

### **Description**

This recall involves the Ecovent Room Sensors, which plug into an electrical outlet, measure room temperature, humidity and barometric pressure. The unit also provides electrical outlets in the center of the device and USB ports on the sides. "Ecovent," model number "SS1," part number "901-00001" and date numbers 4415-5215 and 0116-0916" are printed on a label on the back of the device.

### **Incidents/Injuries**

Ecovent has received two incident reports of the faceplate falling off. No injuries have been reported.

### **Remedy**

Consumers should immediately stop using the recalled units. Ecovent has contacted consumers via email and phone notifications, sent the replacement parts and provided return postage for affected parts. If consumers have not been notified, they should contact the firm.

### **Sold at**

Online at [www.ecoventsystems.com](http://www.ecoventsystems.com) from December 2015 through April 2016 for between \$100 and \$150.

**Importer(s)**

Ecovent Corp., of Charlestown, Mass

**Distributor(s)**

Ecovent Corp., of Charlestown, Mass

**Manufactured in**

China and U.S.

The U.S. Consumer Product Safety Commission is charged with protecting the public from unreasonable risks of injury or death associated with the use of thousands of types of consumer products under the agency's jurisdiction. Deaths, injuries, and property damage from consumer product incidents cost the nation more than \$1 trillion annually. CPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical or mechanical hazard. CPSC's work to help ensure the safety of consumer products - such as toys, cribs, power tools, cigarette lighters and household chemicals -- contributed to a decline in the rate of deaths and injuries associated with consumer products over the past 40 years.

Federal law bars any person from selling products subject to a publicly-announced voluntary recall by a manufacturer or a mandatory recall ordered by the Commission.

To report a dangerous product or a product-related injury go online to [www.SaferProducts.gov](http://www.SaferProducts.gov) or call CPSC's Hotline at 800-638-2772 or teletypewriter at 301-595-7054 for the hearing impaired. Consumers can obtain news release and recall information at [www.cpsc.gov](http://www.cpsc.gov), on Twitter [@USCPSC](https://twitter.com/USCPSC) or by subscribing to CPSC's [free e-mail newsletters](#).



Room Sensor (Front)



Room Sensor (Back)



Label on Back of Room Sensors



## 360 Electrical Recalls Surge Protectors Due to Shock and Fire Hazards

[382](#)

The surge protectors can short circuit when non-grounded plugs are connected, posing a shock or fire hazard.

*Recall date: June 09, 2016*

*Recall number: 16-193*

### **Name of product:**

Surge protectors

### **Hazard:**

The surge protectors can short circuit when non-grounded plugs are connected, posing a shock or fire hazard.

Remedy:

[Replace](#)

### **Consumer Contact:**

360 Electrical toll-free at 844-827-4207 from 9 a.m. to 5 p.m. MT Monday through Friday or online at [www.360electrical.com](http://www.360electrical.com), hover over “Support” at the top of the page and click on “Warranty,” then click on “Agent, Idealist and Idealist 2.4 RECALL INFO” for more information.

[Report an Incident Involving this Product](#)

### **Units**

About 9,300 (in addition, about 1,000 were sold in Canada)

### **Description**

This recall involves three models of surge protectors, Idealist (360320), Idealist 2.4 (360321) and Agent (360322). The model number is located on the underside of the unit. The units have seven outlets, come in black or white and measure 14.5 inches long by 2.5 inches wide by 1.5 inches tall. “360electrical” is printed on the front of the units. Recalled surge protectors do *not* have a single check mark engraved on the underside of the unit, right next to the model number.

### **Incidents/Injuries**

None reported

### **Remedy**

Consumers should immediately stop using the recalled surge protectors and contact 360 Electrical for a free replacement.

### **Sold at**

B&H Photo stores nationwide and online at Amazon.com and bhphotovideo.com from July 2015 through February 2016 for between \$33 and \$40.

**Importer(s)**

360 Electrical LLC, of Salt Lake City, Utah

**Distributor(s)**

360 Electrical LLC, of Salt Lake City, Utah

**Manufactured in**

China

The U.S. Consumer Product Safety Commission is charged with protecting the public from unreasonable risks of injury or death associated with the use of thousands of types of consumer products under the agency's jurisdiction. Deaths, injuries, and property damage from consumer product incidents cost the nation more than \$1 trillion annually. CPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical or mechanical hazard. CPSC's work to help ensure the safety of consumer products - such as toys, cribs, power tools, cigarette lighters and household chemicals -- contributed to a decline in the rate of deaths and injuries associated with consumer products over the past 40 years.

Federal law bars any person from selling products subject to a publicly-announced voluntary recall by a manufacturer or a mandatory recall ordered by the Commission.

To report a dangerous product or a product-related injury go online to [www.SaferProducts.gov](http://www.SaferProducts.gov) or call CPSC's Hotline at 800-638-2772 or teletypewriter at 301-595-7054 for the hearing impaired. Consumers can obtain news release and recall information at [www.cpsc.gov](http://www.cpsc.gov), on Twitter [@USCPSC](https://twitter.com/USCPSC) or by subscribing to CPSC's [free e-mail newsletters](#).



Idealist surge protector, model  
number 360320

Idealist 2.4 surge protector,  
model number 360321

Agent surge protector, model  
number 360322



[En Español](#)

## Southwire Recalls Voltage Detectors Due to Shock and Burn Hazards

The voltage detectors can give a false or “no voltage” reading when being used to test live wires for electric current.

[448](#)

*Recall date: June 01, 2016*

*Recall number: 16-183*

### **Name of product:**

Non-contact voltage detectors

### **Hazard:**

The voltage detectors can give a false “no voltage” reading when being used to test live wires for electric current, posing shock, electrocution and burn hazards to consumers.

Remedy:

[Replace](#)

### **Consumer Contact:**

Southwire toll-free at 855-798-6657 from 9 a.m. to 5 p.m. ET Monday through Friday or online at [www.southwire.com](http://www.southwire.com) and click on Product Recall for more information.

[Report an Incident Involving this Product](#)

### **In conjunction with**



### **Units**

About 1.2 million (in addition, 3,640 were sold in Canada)

### **Description**

This recall involves Southwire non-contact voltage detectors with model numbers 40110N and 40120N. Voltage detectors alert users to the presence of electric current running through electrical wires. The recalled voltage detectors are cylindrical shaped, about six inches long and about two inches in circumference. They are brownish gold in color with a black center insert. “Southwire,” the model number and the CE and UL listing symbols are printed on the voltage detectors. They have red LED lights to indicate the presence of live electric current. Model 40110N detects voltage from 100 to 1,000 VAC. Model 40120N detects voltage from 24 to 1,000 VAC.

### **Incidents/Injuries**

Southwire is aware of one report of an incident of a false reading by the voltage detector. The consumer received an electrical shock and fell off a ladder.

**Remedy**

Consumers should immediately stop using the recalled voltage detectors and contact Southwire for instructions on returning them for a free replacement voltage detector.

**Sold at**

Lowe's and other home and hardware stores nationwide and online at [lowes.com](http://lowes.com) and other websites from June 2013 through February 2016 for about \$15.

**Manufacturer(s)**

Southwire Company LLC, of Carrollton, Ga.

**Manufactured in**

China

The U.S. Consumer Product Safety Commission is charged with protecting the public from unreasonable risks of injury or death associated with the use of thousands of types of consumer products under the agency's jurisdiction. Deaths, injuries, and property damage from consumer product incidents cost the nation more than \$1 trillion annually. CPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical or mechanical hazard. CPSC's work to help ensure the safety of consumer products - such as toys, cribs, power tools, cigarette lighters and household chemicals — contributed to a decline in the rate of deaths and injuries associated with consumer products over the past 40 years.

Federal law bars any person from selling products subject to a publicly-announced voluntary recall by a manufacturer or a mandatory recall ordered by the Commission.

To report a dangerous product or a product-related injury go online to [www.SaferProducts.gov](http://www.SaferProducts.gov) or call CPSC's Hotline at 800-638-2772 or teletypewriter at 301-595-7054 for the hearing impaired. Consumers can obtain news release and recall information at [www.cpsc.gov](http://www.cpsc.gov), on Twitter [@USCPSC](https://twitter.com/USCPSC) or by subscribing to CPSC's [free e-mail newsletters](#).




Model 40110N



Model 40110N



Model 40120N



Model 40120N





## Broan-NuTone Recalls Ventilation Fans Due to Fire Hazard

[283](#)

The fan motor can overheat, posing a fire hazard.

*Recall date: May 31, 2016*

*Recall number: 16-184*

### **Name of product:**

Ventilation fans

### **Hazard:**

The fan motor can overheat, posing a fire hazard.

Remedy:

[Replace](#)

### **Consumer Contact:**

Broan-NuTone at 800-637-1453 from 9 a.m. to 5 p.m. ET Monday through Friday or online at [www.broan-nutone.com](http://www.broan-nutone.com) and click on “L500 Series Recall Notice” for more information.

[Report an Incident Involving this Product](#)

### **In conjunction with**



### **Units**

About 450 in U.S. (in addition, 200 were sold in Canada)

### **Description**

This recall involves L500 series fans designed to circulate air in and out of a home or building. The fans were sold in nine brands and have the model information printed on the specification label affixed to the blower assembly. Fans included in the recall are:

Brand Name	Model Number
Broan	L500, L500K, L500KL, L500L, S97014819, S97014820, S99080487
Twin City Fan	T500, T500L
Carnes	VCDD050C, VCDD050I

Acme Eng and Mfg Co VQL500, VQ500

WW Grainger 1AAD3, 4TR58, 4TR59, 4YG83

Captive Aire CFA500

American CoolAir CFL50A1151

Solar and Palau FFC500, FF500

American Coolair IL50LA1151  
Corp.

#### **Incidents/Injuries**

None reported

#### **Remedy**

Consumers should immediately turn off and unplug the recalled fans and contact Broan to receive a free replacement fan.

#### **Sold at**

Heating, plumbing and building supply retailers nationwide and online from February 2016 through March 2016 for about \$240.

#### **Manufacturer(s)**

Broan-NuTone LLC, of Hartford, Wis.

#### **Manufactured in**

U.S.

The U.S. Consumer Product Safety Commission is charged with protecting the public from unreasonable risks of injury or death associated with the use of thousands of types of consumer products under the agency's jurisdiction. Deaths, injuries, and property damage from consumer product incidents cost the nation more than \$1 trillion annually. CPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical or mechanical hazard. CPSC's work to help ensure the safety of consumer products - such as toys, cribs, power tools, cigarette lighters and household chemicals — contributed to a decline in the rate of deaths and injuries associated with consumer products over the past 40 years.

Federal law bars any person from selling products subject to a publicly-announced voluntary recall by a manufacturer or a mandatory recall ordered by the Commission.

To report a dangerous product or a product-related injury go online to [www.SaferProducts.gov](http://www.SaferProducts.gov) or call CPSC's Hotline at 800-638-2772 or teletypewriter at 301-595-7054 for the hearing impaired. Consumers can obtain news release and recall information at [www.cpsc.gov](http://www.cpsc.gov), on Twitter [@USCPSC](https://twitter.com/USCPSC) or by subscribing to CPSC's [free e-mail newsletters](#).



Broan-NuTone L500  
Ventilation Fans



## Currey & Company Recalls Chandeliers Due to Impact Injury Hazard; Sold Exclusively at Ethan Allen (Recall Alert)

[31](#)

The loop at the top of the chandelier can break causing the chandelier to fall, posing an impact injury hazard.

*Recall date: May 26, 2016*

*Recall number: 16-748*

### **Name of product:**

Crystal chandeliers

### **Hazard:**

The loop at the top of the chandelier can break causing the chandelier to fall, posing an impact injury hazard.

Remedy:

[Repair](#)

### **Consumer Contact:**

Ethan Allen toll-free at 877-848-4952 from 8:30 a.m. to 4:45 p.m. ET Monday through Friday or online at [www.ethanallen.com](http://www.ethanallen.com) and click on the recall tab in the footer of the homepage for more information.

[Report an Incident Involving this Product](#)

### **In conjunction with**



### **Units**

About 1,000 (in addition, 26 sold in Canada)

### **Description**

This recall involves an eight-light crystal chandelier. The frame is silver with crystal ornaments and eight candle-shaped lights. The loop at the top of the chandelier is made of zinc or steel. The model number 093682 can be found on the inside of the canopy and on the outside of the original carton.

### **Incidents/Injuries**

The firm has received two reports of the loop breaking, including one report of the chandelier falling. No injuries have been reported.

### **Remedy**

Consumers should prevent people from walking underneath the chandeliers. Ethan Allen will contact consumers directly and arrange for an Ethan Allen service technician to inspect the chandeliers. If the loop is made of zinc, the loop will be replaced by a certified electrician free of charge. If steel, no repair is necessary.

**Sold exclusively at**

Ethan Allen Design Centers nationwide from October 2007 through January 2016 for about \$2,500.

**Importer(s)**

Currey & Company of Atlanta, Ga.

**Distributor(s)**

Currey & Company of Atlanta, Ga.

**Manufactured in**

China

The U.S. Consumer Product Safety Commission is charged with protecting the public from unreasonable risks of injury or death associated with the use of thousands of types of consumer products under the agency's jurisdiction. Deaths, injuries, and property damage from consumer product incidents cost the nation more than \$1 trillion annually. CPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical or mechanical hazard. CPSC's work to help ensure the safety of consumer products - such as toys, cribs, power tools, cigarette lighters and household chemicals — contributed to a decline in the rate of deaths and injuries associated with consumer products over the past 40 years.

Federal law bars any person from selling products subject to a publicly-announced voluntary recall by a manufacturer or a mandatory recall ordered by the Commission.

To report a dangerous product or a product-related injury go online to [www.SaferProducts.gov](http://www.SaferProducts.gov) or call CPSC's Hotline at 800-638-2772 or teletypewriter at 301-595-7054 for the hearing impaired. Consumers can obtain news release and recall information at [www.cpsc.gov](http://www.cpsc.gov), on Twitter [@USCPSC](https://twitter.com/USCPSC) or by subscribing to CPSC's [free e-mail newsletters](#).



Crystal chandelier



Canopy with model number



Label with model number on original packaging



## Philips Lighting Recalls Metal Halide Lamps Due to Burn and Laceration Hazards

[223](#)

The outer bulbs can shatter, resulting in hot internal pieces of glass falling from the lamps, posing a burn and laceration hazard.

*Recall date: May 24, 2016*

*Recall number: 16-172*

### **Name of product:**

Metal Halide Lamps

### **Hazard:**

The outer bulbs can shatter, resulting in hot internal pieces of glass falling from the lamps, posing a burn and laceration hazard.

Remedy:

[Replace](#)

### **Consumer Contact:**

Philips Lighting toll-free at 866-253-5503 from 9 a.m. to 5 p.m. ET Monday through Friday, via email at [ceramicmh@philips.com](mailto:ceramicmh@philips.com) or online at [www.philips.com](http://www.philips.com) and click on “For Professionals” and then “Recalls” for more information.

[Report an Incident Involving this Product](#)

### **Units**

About 87,000

### **Description**

This recall involves the Philips Energy Advantage Ceramic Metal Halide Lamps model CDM330. They are designed as energy efficient replacements for traditional 400W quartz metal halide lamps installed in magnetic ballasts and intended for use in high-ceiling industrial, retail and commercial applications. The lamps were sold in both clear and coated versions. Each lamp includes an etching, located either at the base of the lamp or on the ovoid of the lamps, that displays the relevant date code, along with Philips’ name, wattage (330W) and the model (CDM330). Affected lamps can be identified with one of the following date codes:

<u>Date Code</u>	<u>Month/Year</u>
1E	May 2011
1F	June 2011
1G	July 2011
1H	August 2011
1J	September 2011

1K	October 2011
1L	November 2011
1M	December 2011

Each lamp includes an etching, located either at the base of the lamp or on the ovoid of the lamps, that displays the relevant date code, along with Philips' name, wattage (330W) and the model (CDM330).

**Incidents/Injuries**

The firm has received two reports of lamps shattering. No injuries have been reported.

**Remedy**

Consumers should immediately stop using the recalled lamps and contact Philips for a free replacement.

**Sold at**

Electrical supply distributors from May 2011 through June 2012 for about \$40.

**Importer(s)**

Philips Lighting North America Corp., of Somerset, N.J.

**Distributor(s)**

Philips Lighting North America Corp., of Somerset, N.J.

**Manufactured in**

USA

The U.S. Consumer Product Safety Commission is charged with protecting the public from unreasonable risks of injury or death associated with the use of thousands of types of consumer products under the agency's jurisdiction. Deaths, injuries, and property damage from consumer product incidents cost the nation more than \$1 trillion annually. CPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical or mechanical hazard. CPSC's work to help ensure the safety of consumer products - such as toys, cribs, power tools, cigarette lighters and household chemicals — contributed to a decline in the rate of deaths and injuries associated with consumer products over the past 40 years.

Federal law bars any person from selling products subject to a publicly-announced voluntary recall by a manufacturer or a mandatory recall ordered by the Commission.

To report a dangerous product or a product-related injury go online to [www.SaferProducts.gov](http://www.SaferProducts.gov) or call CPSC's Hotline at 800-638-2772 or teletypewriter at 301-595-7054 for the hearing impaired. Consumers can obtain news release and recall information at [www.cpsc.gov](http://www.cpsc.gov), on Twitter [@USCPSC](https://twitter.com/USCPSC) or by subscribing to CPSC's [free e-mail newsletters](#).

